

14 Help Wanted

WANTED: Baby sitter. Hours 4:30 p.m. to 12:30 a.m. Call 834L. 45-1tc

15 Work Wanted

CUSTOM BALING, wire tie. Hay for sale, 65c bale in field. Umpleby, 1/2 mile south Delight Valley school. Ph. 468Y. 45-3tp-47

LOG HAULING wanted. Call Glen Phillips, 392Y, Cottage Grove. 45-2tp-46

PAINTING SERVICE. Brush or spray. Will finance. Ph. 565R. 45-tfxxx

TYPING done reasonably in my home. Ph. 1216J. Mrs. Robert Bond, Rte. 1, Box 300, 45-tfxxx

HIGH SCHOOL boy wants full-time job. Ph. 958R. 44-2tc-45

WANTED: Cutting, raking and baling hay. Call 1101J. Dale Pitcher. 45-2tc-46

WORK WANTED for long and short log trucks. Call Willis H. New, 1052J5, Box 49, Thornton Lane or Edward L. Purcell, 37J. 39-21tp-7

SEPTIC TANKS cleaned and repaired. Bonded and registered at the state board of health. L. A. Hindman, Ph. 1198J1. 29-tfxxx

WILL LAUNDRY curtains and put on stretchers. Also lace tablecloths. Ph. 329J. 43-4tp-46

J. R. TELEVISION. Sales, service, installation. Ph. 192. Creswell, Ore. 25-tfxxx

SEPTIC TANK CLEANING. L. W. Stacy, Cottage Grove. Ph. 1379. 38-tfxxx

PAPER - HANGING and painting. C. M. Adams, Ph. 1209J2. 34-tfxxx

15B Work Wanted - Repairs

REFRIGERATION TROUBLES? Call Fitzgerald Refrigeration. Ph. 1023. 948 S. 10th St. 24-tfxxxx

AUTOMATIC WASHER and dryer service. Fitzgerald Refrigeration. Ph. 1023. 24-tfxxx

WORK WANTED - Lawn mowers to sharpen. 1423 Ash. 34-tfxxx

TIRES: Recapping, retreading, repairing. 336 Pacific Hwy. So. Phone 163. McKenzie Tire Service. 46-tfxxx

INVISIBLE REWEAVING for all types of damage, moth holes, cuts or burns. Three to five-day service on most garments. Free estimates. Louise Anderson, 1047 Cooper. Ph. 197J. 33-tfxxx

ELEC. MOTOR REPAIR. Call Fitzgerald Refrigeration. Ph. 1023. 948 So. 10th St. 24-tfxxx

GUN WORK-SCOPES Mounted. Impossible jobs our specialty. Agate cutting and polishing. Repair most anything. Lemert Machine shop, 4 1/2 miles out Dorena road. Ph. 1239J2. 20-tfxxx

15B Work Wanted - Repairs

MUTT'S FIXIT SHOP. Open 7 days a week. Lawn mowers, gas & elec. motor repair. Go past Mutt & Jeff sign and turn to right. C. A. Eastham. Phone 884Y. So. 6th St. 13-tfxxx

16 Wanted to Buy

WANTED TO BUY: Used typewriters. Must have standard key boards. Cottage Grove Sentinel. Ph. 555. 21-tfxxx

WOOL, MOHAIR and cascara bark. Highest market prices paid. Cottage Grove Feed & Produce. 8 a.m. to 6 p.m. Ph. 489J. 37-tfxxx

16A Wanted to Buy

WANTED: Poles and piling, all lengths, delivered to our Walden yard. Hammond Piling Co. Ph. 1077 or 1041J. 51-tfxxx

16A Wanted to Buy

WANTED: Douglas fir bark and peeled western Red Cedar poles delivered to our Eugene yard. Also second growth stumpage. L. D. McFarland Co., P.O. Box 445, telephone 32123 or 77984 evenings. Eugene. 41-tfxxx

17A Logging Supplies

FOR SALE: Used power saws, S&S Equipment, 1 block No. SP depot, 117 No. Lane. Phone 146. 12-tfxxx

18 To Trade

47 SUPER BUICK sedan to trade for building site. Good shape inside and out. Bernice Stewart. Dorena. 44-3tp-46

19 For Sale or Trade

SAWMILL EQUIPMENT. HEAVY EDGER 4x5 and 75 HP Continental engine, all in first class condition. Bill Bartels Sr. Ph. 176J. 42-4tc-45

AUTHORIZED DEALER FOR "Dillabaugh" boats, ready built or kit form. From \$65 up. Hesse's, N. Pac. Hwy. 35-tfxxx

WORLD'S FINEST PORTABLE TYPEWRITERS at the Sentinel office. Ph. 555. 30-tfxxx

20 Miscellaneous

CHURCH OF CHRIST on Penoyer St. Vacation Bible School June 25 through 30th. All ages are invited and urged to attend. Classes will be held daily from 9 to 11 a.m. For information and anyone in need of transportation call Walt Hudson, ph. 1435. 44-2tc-45

NOTICE: Women of Moose cooked food sale, C.G. Motors Bldg., 5th and Wash., June 23, starts at 10 a.m. Also pie & coffee. 44-2tc-45

JESSIE'S FLOWERS & GIFTS. "Flowers can say it better." 45 S. 6th. Ph. 1399. 32-tfxxx

See the new Regina adding machine, ask for demonstration. Its a honey, its low priced. Cottage Grove Sentinel. 34-tfxxx

20 Miscellaneous

ACCORDION SALES and service. Pancianelli and others. Private lessons, sales, rentals and repairs. Terms. Alpha Pitcher. Ph. 1101J5. 12-tfxxx

See the new Regina adding machine, ask for demonstration. Its a honey, its low priced. Cottage Grove Sentinel. 34-tfxxx

See the new Regina adding machine, ask for demonstration. Its a honey, its low priced. Cottage Grove Sentinel. 34-tfxxx

See the new Regina adding machine, ask for demonstration. Its a honey, its low priced. Cottage Grove Sentinel. 34-tfxxx

See the new Regina adding machine, ask for demonstration. Its a honey, its low priced. Cottage Grove Sentinel. 34-tfxxx

21 Sewing

SEE US FOR: Buttonholes, button coverings, covered belts, and buckles, hemstitching. Scott's, 14 So. 6th St., phone 90. 27-tfxxx

22 Personals

ALCOHOLICS Anonymous meets every Friday, 8 p.m. in the city library clubroom. P. O. Box 13, or phone 781. 12 or 1245. 24-tfxxx

PHOTO FINISHING: 6 or 8 exposure rolls, 59c. Dated jumbo prints in albums no extra charge. Thriftwise, 605 Main St. 32-tfxxx

23 Cards of Thanks

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

WE WISH to express our thanks and deep appreciation for cards and flowers for Mr. Arnold while he was in the hospital, especially to the children of Harriet school for their letters. Charles and Margaret Arnold. 45-1tc

New Roads, Ferries Lead Motorlog Travelers to B. C. Sunshine Coast

Scenery Similar To Alaska's Is In Easy Access

The following is a condensation of a motorlog appearing June 2 in Northwest magazine magazine of The Sunday Oregonian. It is one of an annual series sponsored jointly by The Oregonian and the Oregon State Motor association.

BY ALBERT MCCREARY Associate Editor, The Oregonian

Just north of Vancouver on the British Columbia coast, an easy day's drive from Portland, lies a vacation paradise almost unknown to Northwest motorists.

The Sechelt (pronounced seel) peninsula until recent years was inaccessible by road. But now, fast, frequent ferry service across the deep, wide inlets which had cut off the peninsula from civilization has opened up a new resort area with lakes and bays teeming with fish, scenery akin to Alaska's and a climate unbelievably mild.

The "Sunshine Coast" is what Sechelt boosters call their peninsula, and they have the statistics to prove it. Rain clouds which annually dump an average of 66 inches of precipitation seem to dodge the area to the north. There, the annual rainfall is a mere 28 inches, and skies are bright and blue all around the calendar.

Last year Black Ball extended its ferry service from Earl Cove, at the north end of the peninsula, to Saltery Bay, giving the city of Powell River its first direct link to the British Columbia mainland.

The first trip of the Oregon State Motor association's white motorlog car to the new northern end of highway 99 was made over roads ranging from fair to excellent.

Paved Road Added Half the 60-mile highway across Sechelt peninsula is hard surfaced, and half the remaining 30 miles of gravelled road will be paved this summer.

To visit the peninsula, the tourist leaves Vancouver through 1000-acre Stanley park and crosses the Lions Gate suspension bridge (the longest in the British commonwealth) spanning Burrard Inlet.

A pleasant 15-mile trip along Marine drive, which winds through a lovely shoreline residential district, ends at the ferry slip at Horseshoe bay.



Gover point, one of many spots on "Sunshine coast" where salmon abound, is pleasant pause for white motorlog car.

Favorite spots for salmon are Gover point, a short distance from Gibsons, and Half Moon bay and Secret cove.


When westerly winds make the strait too rough for small boats, sheltered Pender harbour (yes, they use the "u" in British Columbia) offers good fishing. No license is required in salt water.

Trout Fishing Good For those who want to invest in a nonresident license, there's good lake and stream fishing for trout and steelhead in season.

Jervis Inlet, which separates the Sechelt peninsula from what Powell River residents like to call the "Powell Riviera," is a great slash running a full 50 miles inland. From the Jervis inlet, cutting back south into the Sechelt peninsula, is Sechelt inlet, almost as large as its parent and linked to it by a very narrow passage. All the water needed to raise the whole Sechelt inlet must pass through this bottleneck when the 12-foot British Columbia tide comes in. And when the tide turns, it all rushes out again.

From Earl cove to Saltery bay is a nine-mile 50-minute ferry ride at the same rates. Here one passes the deepest spot on the B. C. coast, a 2400-foot "hole" in the ocean floor.

More excellent scenery and fishing opportunities are found north of Jervis inlet. Some visitors may wish to look over the paper plant which is Powell River's principal industry. Some of the paper on which The Oregonian is printed comes from this, the world's biggest single unit paper mill, capable of turning out a ribbon of newsprint at the rate of 2000 feet a minute.



Map shows combination of road and water routes linking Vancouver, B. C., north coast.

LEGAL NOTICES

tank. P. S. 200 oil: two 550 gallon and one 675 gallon tanks. The City hereby reserves the right to reject any or all bids or any part of any bid, whichever may be to the best interest of the City of Cottage Grove. J. M. Edwards City Recorder 45-2tc-46

SUMMONS

IN THE CIRCUIT COURT OF THE STATE OF OREGON FOR LANE COUNTY ANNA JOSEPHINE JONES, Plaintiff,

vs. HOMER JONES, Defendant.

TO HOMER JONES, Defendant: BY THE NAME OF THE STATE OF OREGON: You are hereby required to appear and answer the Complaint filed against you in the above entitled suit on or before the 12th day of July, 1956, or you will thereof the Plaintiff will pray the Court for a Decree of absolute divorce from the Defendant; that Plaintiff be restored her maiden name, Anna Josephine Jones, and for such other and further relief as to the Court may seem just and equitable.

This Summons is published once each week for four successive weeks in the Cottage Grove Sentinel, a newspaper published in Cottage Grove, Lane County, Oregon, by Order of Hon. Alfred T. Goodwin, Judge of said Court, dated the 7th day of June, 1956, and is first published June 14, 1956.

RICHARD L. THWING, Attorney for Plaintiff, Residence and post office address, Cottage Grove, Oregon. 44-5tc-48

SUMMONS

IN THE CIRCUIT COURT FOR COUNTY OF LANE AND STATE OF OREGON DOROTHY HATHAWAY, Conservator of the property of EDNA HATHAWAY,

vs. SARAH COLLINS, a widow, JANE WAGONER and JOHN DOE WAGONER, her husband; WILLIAM COLLINS and JANE DOE COLLINS, his wife; JAMES COLLINS and JANE DOE COLLINS, his wife; BALLARD COLLINS and JANE DOE COLLINS, his wife; MARY KNEE and JOHN DOE KNEE, her husband; ZACKARIAH COLLINS and JANE DOE COLLINS, his wife; and all of the heirs known and unknown of HESAKIAH COLLINS, Deceased.

IN THE NAME OF THE STATE OF OREGON: You are hereby summoned and required to appear and answer the complaint of the Plaintiff filed against you in the above entitled suit on or before the last day of the time prescribed in the order of publication, to-wit: On or before the 29th day of June, 1956; and if you fail to so appear and answer, I will thereof, the Plaintiff will apply to the above entitled Court for the relief prayed for in the complaint, to-wit: That you and each of you, be adjudged to have no estate or interest whatsoever

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gallons Storage tanks to receive above requirements are located within the City with the exception of a 550 gallon tank located at the Sewage Treatment Plant. Storage tanks are of the following capacities: Gasoline: one 550 gallon

or any part of the estimated requirements which are as follows: Motor Fuel, Regular Gasoline 7,000 Gallons Heating Oil P. S. 200 11,000 Gall