

HELP WANTED

Ione-Lexington Cemetery Maintenance District (ILCMD)
Sexton Vacancy
 The ILCMD is currently accepting applications for a Sexton/Grounds-keeper vacancy. General duties include but are not limited to: maintaining cemetery grounds, coordinating with families & mortuaries, attend board meetings, keep accurate records, work out doors in all weather conditions. This is a part-time position with 88 hours per month; no benefits. For a full job description and to apply, please call 541-379-0608 and leave a message, send an email to IONELEXCEMDIST@GMAIL.COM, Or snail mail to ILCMD, PO Box 286, Ione, OR 97836. Position is open until filled.
 6-27-1c

PUBLIC NOTICE
IN THE CIRCUIT COURT OF THE STATE OF OREGON FOR THE COUNTY OF MORROW
 In the Matter of the Estate of NADINE LOIS O'BRIEN, Deceased
 No. 18PB04121
NOTICE TO INTERESTED PERSONS
NOTICE IS HEREBY GIVEN that the undersigned has been appointed

personal representative. All persons having claims against the estate are required to present them, with vouchers attached, to the undersigned personal representative at c/o Christine M. Wallace, 801 South Main, Milton-Freewater, OR 97862, within four months after the date of first publication of this notice, or the claims may be barred. All persons whose rights may be affected by the proceedings may obtain additional information from the records of the court, the personal representative, or the attorney for the personal representative, Christine M. Wallace. Dated and first published June 13, 2018
 Personal Representative:
 Sherri L. Watson
 Published: June 13, 20 and 27, 2018

PUBLIC NOTICE
 The Ione Lexington Cemetery Maintenance District (ILCMD) is currently undergoing some staffing & board changes. Please bear with us as we make these changes. Our hope is to see our cemeteries start flourishing over the next few months. If you have any questions, please email us at IONELEXCEMDIST@GMAIL.COM, or you can call us and leave a message

at 541-379-0608. Please leave your name & a brief message; you will receive a call back as soon as possible.
 Current board members are, Marilyn Childers & Ed Baker. Current Secretary-Treasurer is Laurie Barrow.
 Published: June 27, 2018

PUBLIC NOTICE
ORDINANCE ADOPTION

A public meeting of the Common Council of the City of Heppner, Morrow County, Oregon, to adopt an ordinance, will be held July 9, 2018, at 7:00 pm, at Heppner City Hall, 111 N. Main, Heppner, Oregon.
 On Monday, July 9, 2018 at 7:00 pm, at Heppner City Hall, the Heppner Common Council will hold a public hearing on the adoption of Ordinance Number 581, an ordinance establishing rules and regulations to be observed and enforced with the public parks of the City of Heppner, Oregon and providing punishments for violations thereof. Copies of the ordinance are available at City Hall for public examination.
 This is a public meeting where deliberation of the Common Council will take place. Any person may appear at the meeting

and discuss the proposed ordinance with the Council.

William J. Kuhn, City Attorney

torney
 Published: June 27, 2018
 Affidavit

PUBLIC NOTICE
Annual Drinking Water Quality Report

City of Heppner
 June 18th 2018 for 2017

The City of Heppner is pleased to provide you with this year's Annual Water Quality Report. It is our responsibility to keep you informed about the water and services we have delivered to you over the past year. It is our goal here at the City of Heppner to provide you with a safe Drinking water system and information on the Quality of the water we all drink.

Where's my water coming from?

Your water primarily comes from 3 wells. The first well is 12 miles up Willow Creek. Your water comes from a deep basalt well which is in the Willow Creek aquifer; we call this Well #1. This well produces around 180GPM (Gallons per Minute). The next well is just 2 miles down Willow Creek from Well #1; it runs only in the summer months to keep up with high demand from the city and occasionally in the winter for testing purposes this is Well #2. The last well is down the creek 9 miles from Well #1. It also runs most often in the summer but is also occasionally run in the winter for testing purposes this is Well #3. The city did an extensive rehab of this well in 2011 following the floods of May 2011. The water pumped from these wells runs into Reservoir #1 and into town it also runs to Reservoir #2 then it gets pumped into Reservoir #3. Most of the distribution system inside the City was replaced in 2005 & 2006. In the summer of 2013 we also replaced the water on Elder St, Aiken St, and Barret Blvd. We do still have some old piping in service.

Where do I go or who do I call for questions?

If you have any questions or concerns you can call city hall (541-676-9618). You are welcome to attend City Council meetings which are on the second Monday of the month at 7:00 pm in City Hall and the Utility Commission meetings on the third Thursday of the month at 8:00 am also at City Hall. You may also review the City of Heppner Source Water Assessment during City Hall's normal business hours (9:00 am to 5:00 pm).

What is in my water?

The City of Heppner routinely monitors for contaminants in your drinking water as required by both federal and state laws. As your water you drink travels it may pick up substances such as microbes, inorganic and organic chemicals, and radioactive substances. The only microbes the City tests for are coliform, other microbe's cryptosporidium and shigella have not been found in our drinking water system. Radioactive elements we test for are Radium and Uranium. Radioactive decay products we test for are Alpha and Beta. (Gamma is not tested for) all drinking water including bottled water may be reasonably expected to contain at least small amounts of some contaminants. Please keep in mind that the presence of these contaminants does not necessarily pose a health risk.

What else should I know?

You should also know about TOTAL COLIFORM. Coliform bacteria are usually harmless, but their presence in water can be an indication of disease-causing bacteria such as fecal coliform. The total coliform rule requires water systems to meet a strict limit for coliform bacteria which are either present or absent. When coliform bacteria are present, special follow-up samples are done to determine if harmful bacteria are present in the water supply. If the resample is positive for coliform, the water supplier (City of Heppner) must notify the public by newspaper, television or radio. To comply with this strict regulation, we have increased the amount of chlorine in the distribution system.

What is a MCL?

The MCLs are set at very stringent levels; basically a person would have to drink two liters of water every day at the MCL level for a life time to have a one-in-a-million chance of having health effect. The table on the next page defines several terms used.

ACTION LEVEL: the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

MAXIMUM CONTAMINANT LEVEL (MCL): the "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology.

MAXIMUM CONTAMINANT LEVEL GOAL (MCLG): the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for margin of safety.

NITRATES: As a precaution we always notify physicians and health care providers in this area if there ever is a higher than normal level of nitrates in the water supply.

LEAD: lead in drinking water is rarely the sole cause of lead poisoning, but it can add to a person's total lead exposure. All potential sources of lead in the household should be identified and removed, replaced or reduced.

MG/L: Milligrams per Liter is a term we use for expressing the concentration of a chemical or a contaminant in our water system. This term is often referred to as Parts per million. That corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (ug/l) one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/l) Picocuries per liter is a measure of the radioactivity in water.

Non-Detects (ND) laboratory analysis indicates that contaminants are not present at the detection level.

What else do you sample for?

The City of Heppner samples for many contaminants throughout the year, not all of the contaminants we monitor are sampled for every year. The table on the next page will show what the City of Heppner monitors for.

Contaminant	MCL	MCLG	Detection Level	Year Sampled	Complies (Is it ok)	Potential Sources
Inorganics						
Arsenic	.01mg/l	0	ND	2016	Yes	Run off from fertilizer & erosion from natural deposits
Nitrate	10mg/l	10mg/l	ND	2017	Yes	
Asbestos	7 MFL	7 MFL	ND	2013	Yes	Decay of asbestos cement water mains; erosion of natural deposits
Radioactive						
Gross Alpha	C	0	ND	2014	Yes	Erosion of natural deposits
Combined Radium 226/228	5pCi/l	0	.8 pCi/l	2011	Yes	Erosion of natural deposits
Combined Uranium	30 mg/l	0	ND	2011	Yes	Erosion of natural deposits
Lead	.015 mg/l		.00854 mg/l	2017	Yes	Corrosion of household plumbing; erosion of natural deposits
Copper	1.3 mg/l	1.3	.0665 mg/l	2017	Yes	

ND=Non Detection

pCi/l= Picocuries per liter

Unregulated Contaminants

Contaminant	MCL	MCLG	Detection Level	Year Sampled	Complies (Is it ok)	Potential Sources
Sodium	n/a	n/a	20.6 mg/l	2013	Yes	Erosion & Natural Deposits
Fluoride	4mg/l	4mg/l	0.331 mg/l	2013	Yes	

Disinfection Byproducts

	MCL	MCLG	Detection Level	Year Sampled	Complies (Is it ok)	Potential Sources
Total Trihalomethanes (TTHM)	80ppb	n/a	0.00256 mg/l	2017	Yes	By-product of drinking water chlorination
Haloacetic Acid (HAA5)	60ppb	n/a	ND	2017	Yes	By-product of drinking water chlorination

We constantly monitor for various constituents in the water supply to meet all regulatory requirements. This past year we were late with one of our required source samples. This does not pose a threat to the quality of our water supply.

Will people with special needs be affected?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Important Information on Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking is primarily from materials used in plumbing. The City of Heppner is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Closing

Thank you for allowing The City of Heppner to continue to provide your family with safe drinking water each year. In order for us to maintain a high level of service sometimes we need to do improvements that will benefit you the consumer. Again we at the City of Heppner are always working around the clock to provide the best quality of service to every tap. We would like to ask all of you the consumers to help protect our water sources, which is the heart of this beautiful little city, our way of life, and also our children's future.

Published: June 27, 2018
 Affidavit

PUBLIC NOTICE
FORM LB-1
NOTICE OF BUDGET HEARING

A public meeting of the City of Ione will be held on June 28, 2018 at 6:00 pm at City Hall, 385 W 2nd Street, Ione, Oregon. The purpose of this meeting is to discuss the budget for the fiscal year beginning July 1, 2018 as approved by the City of Ione Budget Committee. A summary of the budget is presented below. A copy of the budget may be inspected or obtained at City Hall, Monday through Thursday, between the hours of 8:00 a.m. and 1:00 p.m. This budget is for an annual budget period. This budget was prepared on a basis of accounting that is the same as the preceding year.

Contact: Kim Carter Telephone: 541-422-7414 Email: cityofioneor@gmail.com

FINANCIAL SUMMARY - RESOURCES			
TOTAL OF ALL FUNDS	Actual Amount 2016-17	Adopted Budget This Year 2017-18	Approved Budget Next Year 2018-19
Beginning Fund Balance/Net Working Capital	129,881	103,108	177,575
Fees, Licenses, Permits, Fines, Assessments & Other Service Charges	30650	30,550	64,400
Federal, State and all Other Grants, Gifts, Allocations and Donations	57336	100,000	56,000
Revenue from Bonds and Other Debt	0	0	0
Interfund Transfers / Internal Service Reimbursements	36960	36,960	34,000
All Other Resources Except Current Year Property Taxes	117460	151,410	205,088
Current Year Property Taxes Estimated to be Received	62091	60,191	61,591
Total Resources	434,378	482,219	598,654

FINANCIAL SUMMARY - REQUIREMENTS BY OBJECT CLASSIFICATION			
Personnel Services	85,682	87,475	101,511
Materials and Services	136,390	127,136	279,588
Capital Outlay	89,039	141,812	107,480
Debt Service	36,960	36,960	34,000
Interfund Transfers	36,960	36,960	34,000
Contingencies	11,693	12,345	2,275
Special Payments	0	0	0
Unappropriated Ending Balance and Reserved for Future Expenditure	37,654	39,531	39,820
Total Requirements	434,378	482,219	598,654

FINANCIAL SUMMARY - REQUIREMENTS AND FULL-TIME EQUIVALENT EMPLOYEES (FTE) BY ORGANIZATIONAL UNIT OR PROGRAM *

Name of Organizational Unit or Program	FTE for that unit or program	2016-17	2017-18	2018-19
General Fund		117,840	129,952	130,227
FTE		1.00	1.1	1.1
Water Utility Fund		170,589	122,113	202,150
FTE		1.00	0.9	0.9
Street Fund		18,991	18,577	168,651
FTE		0.00	0	0
State Revenue Sharing		8,305	13,274	15,351
FTE		0	0	0
Special Water Fund		84,674	176,491	73,821
FTE		0	0	0
Special Capital Outlay Fund		33,979	21,812.0	8,454.0
FTE		0	0	0
Not Allocated to Organizational Unit or Program				
FTE				
Total Requirements		434,378	482,219	598,654
Total FTE		2	2	2

STATEMENT OF CHANGES IN ACTIVITIES and SOURCES OF FINANCING *

No Changes in Activities. A Bond was floated during 2015-2016 for the construction of a replacement Fire Hall in the amount of \$390,000.

PROPERTY TAX LEVIES			
	Rate or Amount Imposed 2016-17	Rate or Amount Imposed This Year 2017-18	Rate or Amount Approved Next Year 2018-19
Permanent Rate Levy (rate limit 4.4288 per \$1,000)	4.4288	4.4288	4.4288
Local Option Levy	n/a	n/a	n/a
Levy For General Obligation Bonds	n/a	n/a	n/a

STATEMENT OF INDEBTEDNESS

LONG TERM DEBT	Estimated Debt Outstanding on July 1, 2018	Estimated Debt Authorized, But Not Incurred on July 1, 2018
General Obligation Bonds	n/a	n/a
Other Bonds	n/a	n/a
Other Borrowings	\$536,365	\$0
Total	\$536,365	\$0

Published: June 27, 2018
 Affidavit

PUBLIC NOTICE
FORM LB-1
NOTICE OF BUDGET HEARING

A public meeting of the Heppner Rural Fire Protection District will be held on July 05, 2018 at 5:30 pm at 180 Rock Street, Heppner, Oregon. The purpose of this meeting is to discuss the budget for the fiscal year beginning July 1, 2018 as approved by the Heppner Rural Fire Protection District Budget Committee. A summary of the budget is presented below. A copy of the budget may be inspected or obtained at 180 Rock Street, Heppner, Oregon, between the hours of 5:30 p.m. and 8:00 p.m. This budget is for an annual budget period, and was prepared on a basis of accounting that is the same as used in the preceding year.

Contact: Thomas Wolff, District Accountant Telephone: 541-676-5114 Email: twolff4945@gmail.com

FINANCIAL SUMMARY - RESOURCES			
TOTAL OF ALL FUNDS	Actual Amount 2016-17	Adopted Budget This Year 2017-18	Approved Budget Next Year 2018-19
Beginning Fund Balance/Net Working Capital	\$354,329	\$124,727	\$129,003
Fees, Licenses, Permits, Fines, Assessments & Other Service Charges	0	0	0
Federal, State and All Other Grants, Gifts, Allocations and Donations	0	0	0
Revenue from Bonds and Other Debt	0	0	0
Interfund Transfers / Internal Service Reimbursements	17,150	7,500	18,500
All Other Resources Except Property Taxes	n/a	n/a	225
Property Taxes Estimated to be Received - Including Debt Service	90,337	98,490	98,500
Total Resources	\$464,042	\$230,938	\$246,228

FINANCIAL SUMMARY - REQUIREMENTS BY OBJECT CLASSIFICATION			
Personnel Services	\$750	\$750	\$750
Materials and Services	42,539	49,490	47,465
Capital Outlay	240,169	131,839	137,395
Debt Service	33,466	33,243	33,243
Interfund Transfers	17,150	7,500	18,500
Contingencies	0	0	0
Repay S/T Loan from General Fund	0	2,000	0
Unappropriated Ending Balance and Reserved for Future Expenditure	0	6,116	8,876
Total Requirements	\$334,073	\$230,938	\$246,228

FINANCIAL SUMMARY - REQUIREMENTS BY ORGANIZATIONAL UNIT OR PROGRAM *

Name of Organizational Unit or Program	FTE for that unit or program	2016-17	2017-18	2018-19
District Fire Fighting Measures and Prevention		\$334,073	\$230,938	\$246,228
FTE (# of Full-Time Equivalent Employees)		None	None	None
Non-Departmental / Non-Program				
FTE				
Total Requirements		\$334,073	\$230,938	\$246,228
Total FTE		None	None	None

STATEMENT OF CHANGES IN ACTIVITIES and SOURCES OF FINANCING *

No Changes in Activities. A Bond was floated during 2015-2016 for the construction of a replacement Fire Hall in the amount of \$390,000.

PROPERTY TAX LEVIES			
	Rate or Amount Imposed 2016-17	Rate or Amount Imposed This Year 2017-18	Rate or Amount Approved Next Year 2018-19
Permanent Rate Levy (rate limit .7906 per \$1,000)	.7906/\$1,000	.7906/\$1,000	.7906/\$1,000
Local Option Levy	N/A	N/A	N/A
Levy For General Obligation Bonds	N/A	\$37,000.00	\$36,000.00

STATEMENT OF INDEBTEDNESS

LONG TERM DEBT	Estimated Debt Outstanding on July 1, 2018	Estimated Debt Authorized, But Not Incurred on July 1, 2018
General Obligation Bonds	\$351,080 plus accrued interest.	None
Other Bonds	None	None
Other Borrowings	None	None
Total	\$351,080 plus accrued interest.	None

Published: June 27 and July 3, 2018
 Affidavit